



7th Heaven SERIES



AquaFix HDF

Advanced water-resistant HDF core, tested by Benchmark International surface water test.




Water Resistant
*UP TO 100 HRS

*Up to 100 hours surface top-down water resistance, with AquaFix HDF Core, edge sealant on four sides, self-enclosed lock.
*Visit www.unifloor.ca for details.



True Touch synchronized grain texture, reveals the authentic look of real wood.




Class 32 / AC4

Abrasive Class 4, for intense use in habitable rooms with high traffic intensity, public utility with normal traffic intensity.


AQUAFIX®
WATER RESISTANT LAMINATE



AquaFix Edge



Drop Lock



CERTIFIED BY
SCS Global Services



EC8263 Lake Sarah



Lake Sarah



Panorama

7th Heaven Series



7th Heaven Series

EC8261 - Garibaldi



EC8265 Lost Lake



Lost Lake



Alta Lake

7th Heaven Series

Shannon Falls



Brandywine Falls



7th Heaven Series



EC8269 Shannon Falls



EC8267 Britannia Beach

Britannia Beach



7th Heaven Series

AQUAFIX®

WATER RESISTANT LAMINATE

Emerald Ridge





7th HEAVEN SERIES

7-3/4" x 59-7/16" x 1/2" | 195mm x 1515mm x 12mm

GARIBALDI



FURRY CREEK



LAKE SARAH



PANORAMA



LOST LAKE



ALTA LAKE



BRITANNIA BEACH



EMERALD RIDGE



SHANNON FALLS



BRANDYWINE FALLS



THE WATER RESISTANT GENERATION OF LAMINATE FLOORING

AQUAFIX®

www.ecpremiumflooring.com



UNIFLOOR
FLOORING AT ITS BEST

7th HEAVEN SERIES

FEATURES



AquaFix sealant on four edges to achieve better water resist performance.




Advanced water-resistant HDF core, tested by Benchmark International surface water test.




*Up to 100 hours surface top-down water resistance, with AquaFix HDF Core, edge sealant on four sides, self-enclosed lock.


*Visit www.unifloor.ca for details.



Easiest fold down interlocking system



True Touch synchronized grain texture, reveals the authentic look of real wood.



Abrasive Class 4, for intense use in habitable rooms with high traffic intensity, public utility with normal traffic intensity.



Thickness:	1/2" (12mm)
Width:	7 3/4" (195mm)
Length:	59 7/16" (1515mm)
Finish:	Matte
Surface:	EIR Surface
Package:	22.25 sqft/carton
	50 cartons/pallet
Weight:	48.5 lb/carton